

**Six-Monthly Environmental Compliance Status Report
of Stipulated Conditions of Environmental Clearance
(Jan. 2025 to June 2025)**

Submitted by

M/s Vetfar Pharmaceuticals Pvt. Ltd.

(Previously known as M/s. Anamayee Pharmachem Pvt. Ltd.)
Plot No. K-37, MIDC Tarapur, Boisar,
Tal. & Dist. Palghar (Previously known as Thane District),
Maharashtra. 401506.

CONTENT

Sr. No.	TOPIC	Page No.
1.	Introduction & Project Description	3 - 5
2.	Compliance Status on Stipulated Conditions of Environmental Clearance	6 - 12

CHAPTER 1: INTRODUCTION & PROJECT DESCRIPTION

1.1 Introduction

The project of M/s Vetfar Pharmaceuticals Pvt. Ltd. (Previously known as M/s. Anamayee Pharmachem Pvt. Ltd). is located at plot no. K-37, MIDC Tarapur, Boisar, Tal. & Dist. Palghar (Previously known as Thane District), Maharashtra. 401506; which is in notified industrial zone of Government Of Maharashtra.

Clearance No. SEAC-2010/CR-301/TC.2 dated 30.12.2010 by State Level Impact Assessment Authority, Maharashtra for 7.5 TPM production capacity to M/s. Anamayee Pharmachem Pvt Ltd; copy is enclosed as **Annexure-1**.

Subsequently, Consent to Operate (CTO) vide no. Format1.0/BO/AS(T)/TN-5501-15/R/GEN-2384 dated 03/03/2015 valid up to 30/04/2017 was obtained from the Maharashtra Pollution Control Board (MPCB) for 3.5 TPM production capacity by **M/s. Anamayee Pharmachem Pvt Ltd.** copy is enclosed as **Annexure-2**.

The Consent to Operate (CTO) vide no. Format1.0/BO/AS(T)/UAN No.0000026307/R/GEN-1705000939 dated 24/05/2017 valid up to the 03/04/2022 was obtained from the MPCB for 3.5 TPM production capacity by **M/s. Anamayee Pharmachem Pvt Ltd.** copy is enclosed as **Annexure-3**.

Subsequently Plot No. K-37, MIDC Tarapur was acquired by M/s. Vetfar Pharmaceuticals Pvt. Ltd. through a public auction conducted by the State Bank of India (SBI) dated 29/12/2021. Copy of Sale Certificate is attached as **Annexure-9**.

Currently, Consent to Operate (CTO) (vide no. Format1.0/AS(T)/UAN No.0000164823/CR/2303002713 dated 31/03/2023 valid up to 30/04/2027 was obtained from the Maharashtra Pollution Control Board (MPCB) for 3.5 TPM production capacity by M/s Vetfar Pharmaceuticals Pvt. Ltd. copy is enclosed as **Annexure-4**.

1.2 Project Description

Salient Features of the Project:

Location	Plot No. K-37, MIDC Tarapur, Boisar, Tal. & Dist. Palghar (Previously known as Thane District), Maharashtra. 401506
Co-ordinates of the location	<ul style="list-style-type: none">• Latitude: 19°47'34.91"N• Longitude: 72°43'35.17"E• The elevation from mean sea level is 28 m
Location Accessibility	The industry is located: Railway Station: Boisar which is 3.70 km away from project site (aerial distance)

	<p>Highway : State highway SH 32 is about 4.13 Km away from the project site.</p> <p>Airport : Chhatrapati Shivaji Maharaj International Airport, Mumbai which is 79 km away from the Project site.</p>
Type of industry	Bulk Drugs and intermediates
Cost of the project	Capital investment of the industry - Rs. 4,01,68,088.55/-
Area Details	Total Plot Area – 2935.00 sq. m. Green Belt Area – 592.00 sq. m.
Water supply	Source— Maharashtra Industrial Development Corporation (MIDC)
Water requirement	Total water requirement – 24 CMD Source: MIDC Tarapur
Effluent Generation	<ul style="list-style-type: none"> Domestic Effluent: 5 CMD; Disposal: Septic Tank overflow through MIDC drain. Trade Effluent: 10 CMD; Disposal to CETP.
Power Requirement	<ul style="list-style-type: none"> Connected Load: 224.35 KW; Max Demand: 68 KVA: Source: MSEB
DG Set details	<ul style="list-style-type: none"> DG Set: 1 No. 125 KVA capacity.
Stack Details	<ul style="list-style-type: none"> Boiler: 2 No.; Stack Height: 24 mtr. Scrubber: 1 No.; Stack Height: 8 mtr. DG Set: 1 No.; Stack Height: 3 mtr.
Fuel details	<ul style="list-style-type: none"> HSD: 200 lit./day Fuel Oil/LDO: 300 lit/day
Status of approvals from statutory bodies	<ul style="list-style-type: none"> Certificate of Incorporation Environmental Clearance Certificate. Power supply from MSEB. Water Usage permission from MIDC.

1.3 Present Status of the Project

The project is operational.

1.4 Purpose of the Report

This six-monthly environmental compliance status report is submitted as per the conditions stipulated in the Environmental Clearance.

CHAPTER 2: COMPLIANCE ON STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE

The proposal has been considered by SEIAA in its 26th and 30th meetings and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Sr. No.	Conditions of Environmental Clearance	Status of Compliance
i.	This clearance is subject to conditions stipulated in MoEF office memorandam 1-11013/5/2010-1A-11(1) dated 26" October, 2010.	Noted.
ii.	"Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	Plot No. K-37, MIDC Tarapur was acquired by M/s. Vetfar Pharmaceuticals Pvt. Ltd. through a public auction conducted by the State Bank of India (SBI) dated 29/12/2021. Consent Copy under Air and Water Acts was obtained from MPCB by M/s. Anamayee Pharmachem Pvt. Ltd. vide no. Format1.0/BO/AS(T)/TN-5501-15/R/GEN-2384 dated 03/03/2015 valid up to 30/04/2017. Consent copy enclosed herewith as Annexure 2 .
iii.	No land development/ construction work preliminary or otherwise relating to the project shall be taken up without obtaining due clearance from respective authorities.	Complied. No additional land has been acquired other than mentioned in EC viz. Plot no K-37.
iv.	No additional land shall be used/acquired for any activity of the project without obtaining proper permission.	Complied. No additional land has been acquired other than mentioned in EC viz. Plot no K-37.
v.	For controlling fugitive natural dust, regular sprinkling of water & wind shields at appropriate distances in vulnerable areas of the plant shall be ensured.	Complied. Regular water sprinkling is being carried out on internal roads, open material handling areas, and other dust-prone locations to suppress fugitive dust emissions. Wind shields/barriers have been installed at identified vulnerable points within the plant premises to minimize wind-blown dust.

vi.	Regular monitoring of the air quality, including SPM & SO ₂ levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.	Complied. Regular monitoring of ambient air quality, including SPM and SO ₂ , is being carried out through a NABL accredited laboratory, Sadekar Enviro Engineers Pvt. Ltd. The latest monitoring was conducted on 11.06.2025, and the results were found to be well within the prescribed permissible limits. Reports are being maintained and submitted to the Maharashtra Pollution Control Board (MPCB) as required. Monitoring Report enclosed as Annexure-5 .
vii.	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	Complied. A detailed rainwater harvesting scheme has been prepared and implemented at the site. A rainwater harvesting system of 10 CMD capacity has been installed, and the harvested water is being utilized within the plot premises.
viii.	Arrangement shall be made that waste water and storm water do not get mixed.	Complied. Separate drainage system has been provided for waste water and storm water. No mixing of waste water and storm water take place.
ix.	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	Not applicable. The unit does not extract ground water and uses MIDC water supply for its operations.
x.	Leq of Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.	Complied. Noise is within prescribed limits, Necessary PPE provided For people working in the high noise area.
xi.	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. On all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act. 1986 Rules, 1989.	Complied. Noise control measures have been implemented at all major noise-generating sources. Acoustic enclosures for the DG set, Vibration controllers for equipment, Confined space for boiler.

xii.	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Complied. Greenbelt has been carried out along the plant periphery as per CPCB guidelines. Total Plot Area – 2935.00 sq. m. Green Belt Area – 592.00 sq. m. Existing Green Belt Area – 497.73 sq. m.
xiii.	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.	Complied. Safety systems, including fire hydrants, fire extinguishers, and dykes around the storage area, have been installed. Additionally, leak detectors and smoke detectors are provided at all key points to ensure prompt detection and prevention of any hazardous incidents.
xiv.	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.	Complied. Regular health check-ups conducted and records maintained. Copy of from 7 is attached as Annexure-8 .
xv.	The company shall make the arrangement for protection of posable fire hazards during manufacturing process in material handling.	Complied. Safety systems, including fire hydrants, fire extinguishers, and dykes around the storage area, have been installed. Additionally, leak detectors and smoke detectors are provided at all key points to ensure prompt detection and prevention of any hazardous incidents.
xvi.	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collection/treatment/storage/disposal of hazardous waste.	Complied. The unit has obtained HW authorization from MPCB, waste stored in dedicated storage area inside plot premises and regularly sent to CHWTSDF / recyclers through manifest system, and records are maintained. Annual returns are filed with MPCB as per Hazardous Waste Management Rules, 2016.” Copy enclosed as Annexure-6 .
xvii.	The company shall undertake following Waste Minimization Measures. <ul style="list-style-type: none"> • Metering of quantities of active ingredients to minimize waste. • Reuse of by products from the process as raw materials or as raw material substitutes in other process. • Maximizing Recoveries. • Use of automated material transfer system to minimize spillage. • Use of "Closed Feed" system into batch reactors. 	Complied.

xviii.	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes/improvements required, if any, in the on-site management plan shall be ensured.	Complied. Mock drills are conducted regularly, and identified improvements are implemented. The last mock drill was conducted on 27.09.2025																																
xix.	A separate environment management cell with qualified staff shall be set up implementation of the stipulated environmental safeguards.	Complied. Environment Management Cell established with qualified staff. Name : Yogesh B. Mahajan Designation : EHS Executive Qualification : M.sc & ADIS Site Head : Dipak Choudhari EHS : Yogesh Mahajan Production : Rahul Andhale Maintenance : Pravin Garkal QC : Tushar Bhosle QA : Pravin Pawar																																
xx.	Transportation of ash will be through closed containers and all measures should be taken to prevent spilling of the ash.	Complied. Transportation of ash is carried out using closed containers, and all necessary precautions are implemented to prevent spillage during handling and transport. A dedicated ash storage area has also been provided at the site for safe storage before disposal or further utilization.																																
xxi.	Separate silos will be provided for collecting and storing bottom ash and fly ash.	Complied. The Project Proponent (PP) has ensured dedicated space for ash storage, with separate area earmarked for safe handling and management of ash.																																
xxii.	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These costs shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the MPCB & this department	Complied. EMP with item wise breakup attached herewith: <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Particulars</th> <th>Recurring Cost/annum</th> <th>Capital Cost</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Air Pollution Control</td> <td>2,00,000</td> <td>7,00,000</td> </tr> <tr> <td>2.</td> <td>Water Pollution Control</td> <td>3,00,000</td> <td>10,00,000</td> </tr> <tr> <td>3.</td> <td>Noise Pollution Control</td> <td>---</td> <td>3,00,000</td> </tr> <tr> <td>4.</td> <td>Environment Monitoring and Management</td> <td>2,00,000</td> <td>2,00,000</td> </tr> <tr> <td>5.</td> <td>Occupational Health</td> <td>30,000</td> <td>---</td> </tr> <tr> <td>6.</td> <td>GB</td> <td>40,000</td> <td>1,50,000</td> </tr> <tr> <td>7.</td> <td>SWM</td> <td>1,82,640</td> <td>---</td> </tr> </tbody> </table>	Sr. No.	Particulars	Recurring Cost/annum	Capital Cost	1.	Air Pollution Control	2,00,000	7,00,000	2.	Water Pollution Control	3,00,000	10,00,000	3.	Noise Pollution Control	---	3,00,000	4.	Environment Monitoring and Management	2,00,000	2,00,000	5.	Occupational Health	30,000	---	6.	GB	40,000	1,50,000	7.	SWM	1,82,640	---
Sr. No.	Particulars	Recurring Cost/annum	Capital Cost																															
1.	Air Pollution Control	2,00,000	7,00,000																															
2.	Water Pollution Control	3,00,000	10,00,000																															
3.	Noise Pollution Control	---	3,00,000																															
4.	Environment Monitoring and Management	2,00,000	2,00,000																															
5.	Occupational Health	30,000	---																															
6.	GB	40,000	1,50,000																															
7.	SWM	1,82,640	---																															

		Total	9,52,640	23,50,000
xxiii.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://zenvas.maharashtra.gov.in	Plot No. K-37, MIDC Tarapur was acquired by M/s. Vetfar Pharmaceuticals Pvt. Ltd. through a public auction conducted by the State Bank of India (SBI) dated 29/12/2021. Copy of Sale Certificate is attached as Annexure-9 . Hence advertise of EC letter in local newspaper is not available		
xxiv.	Project management should submit half yearly compliance reports in stipulated prior environment clearance terms and conditions in the MPCB & this department, on 1 June & 1 December of each calendar year.	Complied. Half yearly EC compliance reports submitted as per schedule (i.e. January 2025 to June 2025).		
xxv.	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representation, if any were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Plot No. K-37, MIDC Tarapur was acquired by M/s. Vetfar Pharmaceuticals Pvt. Ltd. through a public auction conducted by the State Bank of India (SBI) dated 29/12/2021. Copy of Sale Certificate is attached as Annexure-9 .		
xxvi.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely: SPM. RSPM. SO, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain	Complied. Six monthly Compliance Report submitted to MoEF, MPCB by e-mail with required documents (i.e. monitoring reports, etc.).		
xvii.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective	Complied. Six monthly reports submitted to MoEF, and MPCB by email.		

	Regional Office of MoEF the respective 1 Office of CPCB and the SPCB.	
xviii.	The environmental statement for each financial year ending 31 March is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Complied. Environmental Statement Report (Form-V) submitted to MPCB, uploaded on website. Copy enclosed as Annexure-7 .
xxix.	The environmental clearance is being issued without prejudice to the court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision of the Hon'ble court will be project proponent in the case filed against him.	Noted.

Annexure 1

Government of Maharashtra

No. SEAC-2010/ CR-301/TC.2
Environment department
Room No. 217, 2nd floor,
Mantralaya Annexe,
Mumbai- 400 032.
Dated: 30th December, 2010

To,
M/s. Anamayee Pharmachem Pvt. Ltd.
Plot No.K-37.
MIDC, Tarapur,
Boisar,
Dist – Thane
Maharashtra

Sub: Change in product of existing bulk industry at plot no. K-37, MIDC, Tarapur, Boisar, District: Thane by M/s. Anamayee Pharmachem Pvt. Ltd. - Environmental clearance regarding.

Sir,

This has reference to your communication dated 21st April, 2009 on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee, Maharashtra in its 21st meeting and decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 26th and 30th meetings. Authority noted office memorandum of MOEF J-11013/5/2010-IA-II(I) dated 26th October, 2010 regarding lifting the moratorium on consideration of projects for environmental clearance.

2. It is noted that the proposal is for grant of Environmental Clearance for Change in product of existing bulk industry at plot no. K-37, MIDC, Tarapur, Boisar, District: Thane by M/s. Anamayee Pharmachem Pvt. Ltd. The project considered by SEAC under screening category 5 (I) of EIA Notification 2006.

Project information from submitted & considered documents is summarized as below-

Name of the Project	:	Change in product of existing bulk industry
Type of Project	:	Bulk drugs and intermediates category (5I)
Project Proponent	:	M/s. Anamayee Pharmachem Pvt. Ltd.
Location of the project	:	Plot no. K-37, MIDC, Tarapur, Boisar, District: Thane 1. Latitude : 73° 12' east side 2. Longitude : 19° 16' east side
Plot area	:	2935 sq. mt.
Built-up area	:	1465 sq. mt.
Estimated cost of the project	:	₹ 4,01,68,088.55/-



Production capacity:**Consent to operate for following products is with the company:**

Sr. No.	Name of the Products	Quantity (Kgs./Month)
1.	Pyrithione Zinc	100
2.	Pyrithione Sodium	100
3.	3 Bromobenzaldehyde	100
4.	2 Hexanone	100
5.	4 Bromobutyronitrile	100
6.	2-5 Dimethoxy Benzaldehyde	50
7.	Di Sodium Etidronate	100
8.	9-Phynylacridine	600
9.	Dimethyl Isophthalate	50
10.	Salicylanilide	100
11.	Dimethoxy Toluene	400
12.	Paramethoxy Benzoic Acid	100

But, the company proposing to change the products within existing plant & Machinery:

Sr. No.	Name of the Products	Quantity (MT/Month)
1.	Glipizide	1.0
2.	Gliclazide	1.0
3.	Glimipride	0.5
4.	Losartan Potassium	1.0
5.	Tolnaftate	0.5
6.	Cefixime Trihydrate	1.0
7.	Venlafaxine	1.0
8.	Bisacodyl	1.0
9.	Bambuterol	0.5

Water Requirement:

Total Water requirement: 24 CMD; Source: MIDC

Effluent generated:Domestic Effluent: 5 M³; Disposal: Septic tank overflow through MIDC drainTrade Effluent: 10 M³; Disposal: Through MIDC drain to CETP**Capacity of ETP:** 15 CMD; Effluent Treatment Plant consist of Primary followed by Tertiary treatment.

- The detailed record of water consumption for various purposes & as well as waste water generation from different sources shall be maintained on daily/ regular basis with respect to flow rates & characteristics.



- Regular monitoring of MIDC water and ground water will be done to taken up for ensuring that there will no discharges from plant into these water bodies.
- Water measuring measurement facilities shall be provided at inlet and outlet of ETP.

Fuel requirement:

High Speed Diesel: 200 litrs/day; Calorific value: 10900(Kcals/ kg)

Fuel Oil/LDO: 300 litrs/day

Solid Waste Management:

A. Hazardous Waste

Sr. No.	Scheduled – I Cat. No.	Type	As per Consent.	Proposed Qty.	Method of disposal
1	20.3	Distillation Residue	494 kgs/M.	271 Kgs/ M.	CHWTSDF, MWML, Taloja
2	34.3	Chemical Sludge from waste water treatment	85 Kgs./ M.	110 Kgs./ M.	CHWTSDF, MWML, Taloja
3	35.3	Spent Carbon	8 Kgs./ M.	10 Kgs./ M.	CHWTSDF, MWML Taloja

B. Non Hazardous Waste:

Sr. No.	Type	Qty.	Method of disposal
1	Empty Drums	400 Nos. / Yr.	Return to the supplier/ sale to authorized party
2	Plastic Bags	300 Kgs./ Yr.	Return to the supplier/ sale to authorized party
3.	Wooden pallets	600 Kgs./ Year	Return to the supplier/ sale to the authorized party

Energy:

- Power Requirement: Connected Load: 224.35 KW; Max. Demand: 68 KVA; Source: MSEB;
- DG sets: 1 No. 125 KVA capacity
- Motors equipped with VFD which will help to save 40-50 % energy consumption.

Green Belt Development: area: 592.00 Sq. m.

Environmental Management Plan:

Sr. No.	Particulars	Recurring Cost per annum	Capital Cost
1	Air Pollution Control	2,00,000	7,00,000
2	Water Pollution Control	3,00,000	10,00,000
3	Noise Pollution Control	----	3,00,000
4	Environment Monitoring and Management	2,00,000	2,00,000
5	Reclamation borrow / mined area	N.A.	N.A.
6	Occupational Health	30,000	----
7	Green Belt	40,000	1,50,000
8	Solid Waste Management	1,82,640	---
9	Others (Pl. Specify)	--	--
Total		9,52,640	23,50,000



Air pollution control measures:

- Adequate measures shall be taken to avoid leakages.
- Gases from process plant shall be control and maintain as per M.P.C.B. emission standards.
- Fugitive source (leakages from ducts & vents) of gases shall be control through proper maintenance
- Efficient scrubbing system will be provided to take care of the fugitive emissions.
- Provision of stack attach to boilers with adequate facilities for collection of samples in the form of port holes, platform, ladders etc
- Specifications for air pollution control system:

1. Stack No.	-- 1 No.
2. Stack attached to Boiler	-- 2 Nos.
3. Ht. of stacks in mtr.	-- 11 Mtrs. each (from ground level)
4. Diameters in MM	-- 12 inches
5. Height of chimney	-- 3 meters above the building roof

Noise pollution control measures:

- Personnel working near noisy machines, near D.G. Set, boiler shall be provided with well designed ear muffs/ ear plugs.
- Cabins in process units and in plant shall be provided with automatic door closers.
- Noise generating sources & their platforms shall be maintained properly to minimize noise & vibrations generated by them.
- Attempts shall be made to restrict high noise operations Viz. restarting after shut down etc. during day time to reduce community annoyance.
- Noise barriers in the form of trees are recommended to be grown around administrative blocks, technical site office and other such units.
- Training of personnel is recommended to generate awareness about effects of noise.

3. The proposal has been considered by SEIAA in its 26th and 30th meetings & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions :

- (i) This clearance is subject to conditions stipulated in MoEF office memorandum J-11013/5/2010-IA-II(I) dated 26th October, 2010.
- (ii) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (iii) No land development / construction work preliminary or otherwise relating to the project shall be taken up without obtaining due clearance from respective authorities.
- (iv) No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
- (v) For controlling fugitive natural dust, regular sprinkling of water & wind shields at appropriate distances in vulnerable areas of the plant shall be ensured.
- (vi) Regular monitoring of the air quality, including SPM & SO2 levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.
- (vii) A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.



(viii) Arrangement shall be made that waste water and storm water do not get mixed.

(ix) Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.

(x) Lel of Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.

(xi) The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. On all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.

(xii) Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.

(xiii) Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.

(xiv) Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.

(xv) The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.

(xvi) The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.

(xvii) The company shall undertake following Waste Minimization Measures :

- Metering of quantities of active ingredients to minimize waste.
- Reuse of by- products from the process as raw materials or as raw material substitutes in other process.
- Maximizing Recoveries.
- Use of automated material transfer system to minimize spillage.
- Use of "Closed Feed" system into batch reactors.

(xviii) Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.

(xix) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.

(xx) Transportation of ash will be through closed containers and all measures should be taken to prevent spilling of the ash.

(xxi) Separate silos will be provided for collecting and storing bottom ash and fly ash.

(xxii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department

(xxiii) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://envis.maharashtra.gov.in>



- (xxiv) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (xxv) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xxvi) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely: SPM, RSPM, SO₂, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xxvii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (xxviii) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- (xxix) The environmental clearance is being issued without prejudice to the court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him.

4. The Environment department reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

5. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years to start of production operations.

6. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

7. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.



8. Any appeal against this environmental clearance shall lie with the National Environmental Appellate Authority, if preferred, within 30days as prescribed under Section 11 of the National Environmental Appellate Act, 1997.



(Valsa R. Nar Singh),
Secretary, Environment
department & MS, SEIAA

Copy to:

1. Shri. Ashok Basak, IAS (Reid.), Chairman, SEIAA, 502, Charleville, 'A' Road, Churchgate, Mumbai- 400 020, Maharashtra.
2. Shri. P.M.A Hakeem, IAS (Reid.), Chairman, SEAC, 'Jugnu' Kottaram Road, Calicut- 673 006 Kerla.
3. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
4. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016), (MP).
5. Regional Office, MPCB, Thane.
6. Collector, Thane.
7. 1A- Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi-110003.
8. Director(TC-1), Dy. Secretary(TC-2),Scientist-1,Environment department
9. Select file (TC-3).

Annexure 2

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
 /4037124/4035273
 Fax : 24044532/4024068 /4023516
 Email : enquiry@mpcb.gov.in
 Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion, Matunga,
 Scheme Road No. 8, Opp. Cine Planet Cinema, Near
 Sion Circle, Sion (E),
 Mumbai - 400 022

Consent order No.: Format 1.0/BO/AS(T)/TN-5501-15/R/GEN- 2384

Date- 03.03.2015

To:

M/s Anamayee Pharmachem Pvt. Ltd.,
 Plot No. K-37, MIDC Tarapur, Boisar,
 Tal. Palghar, Dist. Thane-401 506.

Subject: Consent to Operate under RED/MSI category.

Ref.: 1. Earlier Consent granted vide no. BO/RO-Thane/PCI-I/EIC-TN-1914/R/CC-55
 dtd. 30/10/2009.

Your application Dated: 26/12/2014

For: Grant of Consent to Operate (150218FT0026)

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under
 Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and
 Authorization /renewal under Rule 5 of the Hazardous Wastes (M, H & T M) Rules
 2008 is considered and the consent is hereby granted subject to the following terms
 and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period upto 30/04/2017.
2. The capital investment of the industry is Rs. 9.91 Crs. (As per C.A. Certificate
 submitted by industry).
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity	UOM
1	Glipizide	1.0	MT/M
2	Gliclazide	1.0	MT/M
3	Glimepiride	0.5	MT/M
4	Losartan Potassium	1.0	MT/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	9.58	As per Schedule -I	CETP
2.	Domestic effluent	1.5	As per Schedule -I	Recycle/reuse

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Böilers	2	As per Schedule -II
2	D.G. Set	1	As per Schedule -II

6. Conditions under Hazardous Waste (M,H & TM) Rules, 2008 for treatment and disposal of hazardous waste:

1) The industry shall handle hazardous wastes as specified below:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal	
1	Distillation Residue		20.3	494.0	Kg/M	-	CHWTSDF
2	ETP sludge		34.3	85.0	Kg/M	-	CHWTSDF
3	Spent Carbon		35.3	8.0	Kg/M	-	CHWTSDF

7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

9. The applicant shall not carry out any excess production or produce new products without consent of the Board and without an Environment Clearance wherever it requires.

10. The applicant shall operate and maintain existing ETP effectively so as to achieve Consented standards.


11. The applicant shall not discharge any effluent in any other source other than the CETP sewerage drain for further treatment and disposal.

12. The applicant shall make provision for operation & maintenance of online pH meter to pollution control devices.

13. The applicant shall properly collect, transport & regularly dispose off the hazardous waste to CHWTSDF, in compliance of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008 and keep proper manifest thereof.

14. The applicant shall provide lock & key arrangement for treated industrial effluent.

For and on behalf of the
Maharashtra Pollution Control Board


(P.K. Mirashe)

Assistant Secretary (Tech.)

Received Consent fee of -

Sr. No.	Amount (Rs.)	DD No.	DATE	Drawn On
1	Rs. 15,100/-	018336	08/12/2014	HDFC Bank
1	Rs. 1,50,100/-	084372	21/10/2011	HDFC Bank

Copy to:

1. Regional Officer (Thane)/ Sub-Regional Officer (Tarapur-I), M.P.C. Board.
They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided Effluent Treatment Plant (ETP) of Capacity 10.0 CMD consisting of primary followed by tertiary level treatment to treat the industrial effluent.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pH	5.5 to 9.0
02	Oil & Grease	10 mg/l.
03	BOD (3 days 27°C)	100 mg/l
04	TDS	2,100 mg/l.
	II Additional Parameters	
05	Total Suspended Solids	100 mg/l.
06	COD	250 mg/l.
07	Chlorides	600 mg/l.
08	Sulphates	1,000 mg/l.
09	Chromium	0.1 mg/l.
10	Zinc	5 mg/l.

- C] The treated effluent shall be recycled upto maximum extent and remaining shall be discharged into CETP for further treatment. In no case, effluent shall find its way for outside factory premises.
- 2) A] As per your consent application, you have provided septic tank followed by soak pit for the treatment of 1.5 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
 - (1) Suspended Solids. Not to exceed. 100 mg/l.
 - (2) BOD 3 days 27°C. Not to exceed. 100 mg/l.
- C] The treated sewage shall be recycled/ reused upto maximum extent and remaining shall be disposed on land for gardening within Company's premise. In no case, effluent shall find its way for outside factory premises.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system and/ or extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	7.0
2.	Domestic purpose	2.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	12.5
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	---
5.	Others - i) Gardening	2.0

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the following Air pollution control (APC) system, erected following stack (s) and observe the following fuel pattern-

Sr. No.	Stack Attached to	APC System	Height in Mtrs.	Type of Fuel	Qty. & Pow.	S. %	SO ₂ Kg/Day
1	Boiler-I	-	10	LDO	300 Ltrs/day	4.7	9.5
2	Boiler-II	-	-	-	-	-	-
3	Process Reactor	Alkali Scrubber	8	-	-	-	-
4	D.G. Set (250 KVA)	-	3.0 Mtrs. above roof	Diesel	40 Ltrs/Hr	8.4	16.8

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time.

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
SO ₂ (from Boiler's)	Not to exceed	9.5 Kg/day
SO ₂ (Process)	Not to exceed	50 ppm
Acid Mist/ HCl	Not to exceed	35 mg/Nm ³

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III

Details of Bank Guarantees in force

Sr. No.	BG Imposed for C to O/ Directions	Amt. of BG Imposed	Submission Period	Purpose of BG	Compliance period	Validity Date
1	CtoO	Rs. 2.0 Lakh	Within 15 days	Towards O&M of pollution control systems and compliance of Consent conditions	Continuous	Upto 31/08/2017

The applicant shall furnish an irrevocable bank guarantee of Rs. 2.0 Lakh with the validity upto 31/08/2017 in the Regional Office, Thane within 15 days from the date of issue of this Consent towards O&M of pollution control systems and compliance of Consent conditions.

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recovēr Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed / reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of

insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

18) The industry should not cause any nuisance in surrounding area.

19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

20) The applicant shall maintain good housekeeping.

21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.

22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

25) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).

26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.

27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

28) The industry shall recycle/reprocess/reuse/recover hazardous waste as per the provision contained in the HW(M,H & TM) Rules 2008, which can be recycled/ processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which cannot be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose in order to reduce load on incineration and landfill site/ environment.

-----0000-----

Annexure 3

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
 /4037124/4035273
Fax : 24044532/4024068 /4023516
Email : ast@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
 Scheme Road No. 8, Opp. Cine Planet Cinema, Near
 Sion Circle, Sion (E),
 Mumbai - 400 022

Consent order No: -Format 1.0/BO/AS(T)/UAN No. 0000026307/R/GEN-1705000939
Date: 24/05/2017

To,

M/s Anamayee Pharmachem Pvt. Ltd.,
 Plot No. K-37, MIDC Tarapur, Boisar,
 Tal. Palghar, Dist. Thane-401 506.

Subject: Grant of renewal of Consent to Operate under RED/MSI category.

Ref.: 1. Earlier Consent granted vide no. Format 1.0/BO/AS(T)/TN-5501-15/R/GEN-2384 dtd. 03/03/2015.

Your application UAN No. 0000026307

Dated: 05/05/2017

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization/ renewal under Rule 6 of the Hazardous & Other Wastes (M & T M) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period upto 30/04/2022.
2. The capital investment of the industry is Rs. 9.91 Crs. (As per C.A. Certificate submitted by industry).
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity	UOM
1	Glipizide	1.0	MT/M
2	Gliclazide	1.0	MT/M
3	Glimepiride	0.5	MT/M
4	Losartan Potassium	1.0	MT/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Trade effluent	9.58	As per Schedule -I	CETP
2	Domestic effluent	1.5	As per Schedule -I	On land for gardening within premise

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boilers	2	As per Schedule -II
2	D.G. Set	1	As per Schedule -II


6. Conditions under Hazardous & Other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste:

- 1) The Industry shall handle hazardous wastes as specified below:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Distillation Residue	20.3	494.0	Kg/M	-	CHWTSDF
2	ETP sludge	34.3	85.0	Kg/M	-	CHWTSDF
3	Spent Carbon	35.3	8.0	Kg/M	-	CHWTSDF

7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
9. The applicant shall not carry out any excess production or produce new products without consent of the Board and without an Environment Clearance wherever it requires.
10. The applicant shall operate and maintain existing ETP effectively so as to achieve Consented standards.
11. The applicant shall not discharge any effluent in any other source other than the CETP sewerage drain for further treatment and disposal.
12. The applicant shall make provision for operation & maintenance of online pH meter to pollution control devices.
13. The applicant shall properly collect, transport & regularly dispose off the hazardous waste to CHWTSDF, in compliance of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules, 2016 and keep proper manifest thereof.
14. The applicant shall provide lock & key arrangement for treated industrial effluent.
15. The applicant shall get verified operational status of the pollution control systems from the Regional Officer, Thane before commencement of commercial production.

For and on behalf of the
Maharashtra Pollution Control Board


(P.K. Mirashe)

Assistant Secretary (Tech.)

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD/RTGS/NEFT No.	Date	Drawn On
1	Rs. 1,25,000/-	AXMB171308952652	10/05/2017	Axis Bank

Copy to:

1. Regional Officer (Thane)/ Sub-Regional Officer (Tarapur-I), M.P.C. Board.
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided Effluent Treatment Plant (ETP) of Capacity 10.0 CMD consisting of primary followed by tertiary level treatment to treat the 9.58 CMD industrial effluent.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr. No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pH	5.5 to 9.0
02	Oil & Grease	10 mg/l.
03	BOD (3 days 27°C)	100 mg/l.
04	TDS	2,100 mg/l.
	II Additional Parameters	
05	Total Suspended Solids	100 mg/l.
06	COD	250 mg/l.
07	Chlorides	600 mg/l.
08	Sulphates	1,000 mg/l.
09	Chromium	0.1 mg/l.
10	Zinc	5 mg/l.

- C] The treated effluent shall be recycled/reused into process, cooling tower & for utility purposes upto maximum extent and remaining shall be discharged into CETP for further treatment & disposal. In no case, effluent shall find its way for outside factory premises.
- 2) A] As per your consent application, you have provided septic tank followed by soak pit for the treatment of 1.5 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
 - (1) Suspended Solids. Not to exceed 100 mg/l.
 - (2) BOD 3 days 27°C. Not to exceed 100 mg/l.
- C] The treated sewage shall be recycled/ reused upto maximum extent and remaining shall be disposed on land for gardening within Company's premise. In no case, effluent shall find its way for outside factory premises.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system and/ or extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1	Industrial Cooling, spraying in mine pits or boiler feed	7.0
2	Domestic purpose	2.0
3	Processing whereby water gets polluted & pollutants are easily biodegradable	12.5
4	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	---
5	Others - i) Gardening	2.0

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

- As per your application, you have provided the following Air pollution control (APC) system, erected following stack (s) and observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Qty. & UoM	S %	SO ₂ Kg/Day
1	Boiler-I	-	10	LDO	300 Ltrs/day	-	9.5
2	Boiler-II	-					
3	Process Reactor	Alkali Scrubber	8			-	-
4	D.G. Set (250 KVA)	-	3.0 Mtrs. above roof	Diesel	40 Ltrs/Hr	-	16.8

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time.
- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
SO ₂ (from Boilers)	Not to exceed	9.5 Kg/day
SO ₂ (Process)	Not to exceed	50 ppm
Acid Mist/ HCl	Not to exceed	35 mg/Nm ³ .


- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III

Details of Bank Guarantees in force

Sr. No	BG Imposed for C to O/ Directions	Amt. of BG Imposed	Submission Period	Purpose of BG	Compliance period	Validity Date
1	C to O	Rs. 2.0 Lakh	Within 15 days	Towards O&M of pollution control systems and compliance of Consent conditions	Upto 30/04/2022	Extend upto 31/08/2022 after expiry

The applicant shall keep & maintain existing bank guarantee of Rs. 2.0 Lakh in the Regional Office, Thane and extend its validity upto 31/08/2022 towards O&M of pollution control systems and compliance of Consent conditions.



Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of

insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

18) The industry should not cause any nuisance in surrounding area.

19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

20) The applicant shall maintain good housekeeping.

21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.

22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.


25) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).

26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.

27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

28) The industry shall recycle/reprocess/reuse/recover hazardous waste as per the provision contained in the H&OW(M & TM) Rules 2016, which can be recycled/ processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which cannot be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose in order to reduce load on incineration and landfill site/ environment.

-----0000-----



Annexure 4

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: <http://mpcb.gov.in>

Email: ast@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.I (R58)

Date: 31/03/2023

No:- Format1.0/AS(T)/UAN

No.0000164823/CR/2303002713

To,

M/s Vetfar Pharmaceuticals Pvt. Ltd.

**(Previously known as M/s. Anamayee Pharmachem
Pvt. Ltd)**

**Plot No. K-37, M.I.D.C., Tarapur Indl Area ,Boisar (W),
Palghar.**



Your Service is Our Duty

Sub: Grant of Renewal of Consent with change in Name under RED/SSI Category.

Ref: Earlier consent accorded by the board vide No. Foramt1.0/AST/UAN No.000026307/R/GEN-1705000939 dated 24.05.2017.

Your application No.MPCB-CONSENT-0000164823 Dated 11.03.2023

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to renewal is granted for a period up to 30/04/2027**
- The capital investment of the project is Rs.13.8692 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs.9.91 Crs + Expansion/Increase in C.I. - Rs3.95. Crs)**
- Consent is valid for the manufacture of:**

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
Products					
1	Glipizide	1	0	1	MT/M
2	Gliclazide	1	0	1	MT/M
3	Glimepiride	0.5	0	0.5	MT/M
4	Losartan Potassium	1	0	1	MT/M

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	9.58	As per Schedule-I	CETP

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	1.5	As per Schedule-I	Soaked in soak pit

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Boiler	1	As per Schedule -II
2	S-2	Boiler	1	As per Schedule -II
3	S-3	Scrubber	1	As per Schedule -II
4	S-4	D.G.Set	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Coal / Briquette Ash	1.5	MT/M	Sale	Sale to Brick Manufacturer

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	500	Kg/M	Recycle	Sale to authorised party / CHWTSDF
2	35.3 Chemical sludge from waste water treatment	1000	Kg/M	Co-processing /Landfill	Sale to Co-processors through pre-processors/CHWTSDF
3	28.6 Spent organic solvents	10	MT/M	Recycle/ Other	Sale to authorised party / CHWTSDF
4	20.3 Distillation residues	2000	Kg/M	Co-processing /Incineration	Sale to Co-processors through pre-processors/CHWTSDF
5	28.3 Spent carbon	500	Kg/M	Co-processing /Incineration	Sale to Co-processors through pre-processors/CHWTSDF
6	37.3 Concentration or evaporation residues	5	MT/M	Co-processing /Incineration	Sale to Co-processors through pre-processors/CHWTSDF

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
* Industry shall ensure disposal of Hazardous Waste to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016					
8.	The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.				
9.	This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.				
10.	The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).				
11.	The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.				
12.	The applicant shall properly collect, transport & regularly dispose-off the Hazardous Waste to CHWTSDF, in compliance of the Hazardous and other Waste (M & TH) Rule-2016 and keep proper manifest thereof.				
13.	This Consent is issued subject to an order passed or may be passed by Hon'ble NGT in application no.1038/2018 in the matter of CEPI.				
14.	Industry shall comply with direction issued to CETP on 22.01.2021, regarding installation of two-way SCADA, Auto-sampler, Non-Return Valve (NRV) with positive discharge to CETP chamber.				
15.	Industry shall install online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server .				
16.	The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.				
17.	This consent is issued as per the Office Order for Consent Management of the Board No. 12/2020 dtd. 23.12.2020.				

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	250000.00	TXN2303003660	24/03/2023	Online Payment
2	15000.00	TXN2303004958	30/03/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Tarapur I
 - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I
Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of:
 - i) **Strong COD/TDS stream of 8 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank) High COD/TDS effluent sent to SEE TEPS JF.
 - ii) **Weak COD/TDS stream of 1.58 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Tertiary (Pressure sand filter, Activated carbon filter), Sludge treatment (Sludge drying bed) .
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	30
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	TDS	2100
(7)	Chlorides	1000
(8)	Sulphates	600
(9)	Chromium	0.1
(10)	Zinc	5

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
- D] The treated effluent shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged CETP after confirming above standards. In no case, effluent shall find its way for gardening / outside factory premises.

2. A] As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 1.5 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	Suspended Solids	Not to exceed	50
2	BOD 3 days 27°C	Not to exceed	30

C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	7.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	12.50
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	2

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S=1	Boiler	Stack	24.00	Coal 500 Kg/Hr	0.5	TPM	50 Mg/Nm ³
				briquette 600 Kg/Hr		SO2	120 Kg/Day
					0.06	TPM	50 Mg/Nm ³
S-2	Boiler	Stack	24.00	LSHS- 100 Kg/Hr	1.0	TPM	50 Mg/Nm ³
						SO2	37.5 Kg/Day

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-3	Process Vent	Scrubber	8.00	0 0 -- NA--	-	Acid Mist	35 Mg/Nm ³
S-4	D.G.Set (500 kva)	Acoustic Enclosure	3.00	HSD 40 Ltr/Hr	1.0	TPM	50 Mg/Nm ³
						SO2	19.2 Kg/Day

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards (mg/l)	
Total Particulate Matter	Not to exceed	30 mg/ Nm3

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/ C2O /C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	2,00,000/-	15 Days	Towards compliance of consent condition and O&M of PCS	Continuous	31.10.2027

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
14. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.

25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
34. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
35. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
36. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.

37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year
38. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.



Annexure 5

ANALYSIS TEST REPORT

Report Decoding No	SEETL250002733	Report Date	11/06/2025					
Name of Client	M/s. Vetfar Pharmaceuticals Pvt. Ltd.							
Address of Client	Plot No K-37, D, MIDC, Tarapur, Boisar, Palghar- 401506, Maharashtra.							
Order / Reference	Purchase order No. PO/24-25/V/0821 Dated 11-Feb-2025							
Date Of sampling	05/06/2025	Sample Receipt Date	06/06/2025					
Analysis Started on	06/06/2025	Analysis Completed On	11/06/2025					
ULR No.	TC-122072500001938F							
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32					
Sample Collected By	SEETL Representative							
Environmental Condition of Lab		Temperature (°C)	25.3	Humidity (%)	55			

AMBIENT AIR STATION

Location of H.V.S.	Near Main Gate			
Lateral Distance	1.0 Meter from Main Gate			
Receptor Distance	1.5 Meters from Ground Level			
Ambient Temperature (°C)	29	Humidity (%)	69	
Wind Speed (km/hr)	12	Wind Direction (deg ⁰)	SE 142	
Instruments Used	R.D.S. (APM- 460), F.P.S. (APM – 550), G.P.S. (APM – 411) & Benzene Sampler (GTI-177)			

POLLUTATIONAL PARAMETERS

Parameters	Result	Units	NAAQS Limits	Method
PM ₁₀	62.04	µg/m ³	100.00	IS 5182 (Part 23) 2006 RA: 2022
PM _{2.5}	30.06	µg/m ³	60.00	EPA Quality assurance guidance document 2.12, based on CPCB- 2011
Sulphur dioxide (SO ₂)	19.04	µg/m ³	80.00	IS 5182 (Part 2/ Sec 1): 2023
Nitrogen dioxide (NO ₂)	23.20	µg/m ³	80.00	IS 5182 (Part 6): 2006 RA: 2022
Ammonia (NH ₃)	<20.00	µg/m ³	400.00	CPCB Guidelines for Measurement of Ambient Air Pollutants Volume-I ,2011
Carbon monoxide (CO)	1.03	mg/m ³	04.00	IS 5182 (Part 10): 1999 RA 2024
Lead as Pb	<0.10	µg/m ³	01.00	EPA compendium method IO 3.5: 2012
Benzene (C ₆ H ₆)	<4.00	µg/m ³	5.00	IS 5182 (Part 11): 2006 RA 2022
Arsenic (As)	<5.00	ng/m ³	6.00	EPA compendium method IO 3.5: 2012
Nickel (Ni)	<5.00	ng/m ³	20.00	EPA compendium method IO 3.5: 2012
Ozone (O ₃)	13.03	µg/m ³	180.00	IS 5182 (Part 9): 1974 RA: 2024
Benzo(a)Pyrene (BaP)	<0.10	ng/m ³	1.00	IS 5182 (Part 12): 2004 RA: 2024

NOTE: 1) The above results relate only to the item tested & the condition prevailing at the time of sampling

2) PM₁₀-Particulate Matter of size < 10 µm, PM_{2.5} - Particulate Matter of size < 2.5 µm

3) NAAQS-National Ambient Air Quality Standards

4) Lower Detection Limit (NH₃<20 µg/m³), (Pb<0.10 µg/m³), (C₆H₆<4 µg/m³), (As <5 ng/m³), (Ni <5 ng/m³), (Benzo(a)Pyrene< 0.1 ng/m³)

5) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



ANALYSIS TEST REPORT

Report Decoding No	SEETL250002734	Report Date	11/06/2025
Name of Client	M/s. Vetfar Pharmaceuticals Pvt. Ltd.		
Address of Client	Plot No K-37, D, MIDC, Tarapur, Boisar, Palghar- 401506, Maharashtra.		
Order / Reference	Purchase order No. PO/24-25/V/0821 Dated 11-Feb-2025		
Date Of sampling	05/06/2025	Sample Receipt Date	06/06/2025
Analysis Started on	06/06/2025	Analysis Completed On	11/06/2025
ULR No.	TC-122072500001939F		
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Sample Collected By	SEETL Representative		
Environmental Condition of Lab		Temperature (°C)	25.3
		Humidity (%)	55

AMBIENT AIR STATION

Location of H.V.S.	Near ETP Area		
Lateral Distance	1.0 Meter from ETP area		
Receptor Distance	1.5 Meters from Ground Level		
Ambient Temperature (°C)	29	Humidity (%)	70
Wind Speed (km/hr)	12	Wind Direction (deg ⁰)	SE 140
Instruments Used	R.D.S. (APM- 460), F.P.S.(APM – 550), G.P.S.(APM – 411) & Benzene Sampler (GTI-177)		

POLLUTIONAL PARAMETERS

Parameters	Result	Units	NAAQS Limits	Method
PM ₁₀	55.29	µg/m ³	100.00	IS 5182 (Part 23) 2006 RA: 2022
PM _{2.5}	26.07	µg/m ³	60.00	EPA Quality assurance guidance document 2.12, based on CPCB- 2011
Sulphur dioxide (SO ₂)	18.10	µg/m ³	80.00	IS 5182 (Part 2/ Sec 1): 2023
Nitrogen dioxide (NO ₂)	22.43	µg/m ³	80.00	IS 5182 (Part 6): 2006 RA: 2022
Ammonia (NH ₃)	<20.00	µg/m ³	400.00	CPCB Guidelines for Measurement of Ambient Air Pollutants Volume-I ,2011
Carbon monoxide (CO)	0.89	mg/m ³	04.00	IS 5182 (Part 10) : 1999 RA 2024
Lead as Pb	<0.10	µg/m ³	01.00	EPA compendium method IO 3.5: 2012
Benzene (C ₆ H ₆)	<4.00	µg/m ³	5.00	IS 5182 (Part 11): 2006 RA 2022
Arsenic (As)	<5.00	ng/m ³	6.00	EPA compendium method IO 3.5: 2012
Nickel (Ni)	<5.00	ng/m ³	20.00	EPA compendium method IO 3.5: 2012
Ozone (O ₃)	12.15	µg/m ³	180.00	IS 5182 (Part 9): 1974 RA: 2024
Benzo(a)Pyrene (BaP)	<0.10	ng/m ³	1.00	IS 5182 (Part 12): 2004 RA: 2024

NOTE: 1) The above results relate only to the item tested & the condition prevailing at the time of sampling

2) PM₁₀-Particulate Matter of size < 10 µm, PM_{2.5} - Particulate Matter of size < 2.5 µm

3) NAAQS-National Ambient Air Quality Standards

4) Lower Detection Limit (NH₃<20 µg/m³), (Pb<0.10 µg/m³), (C₆H₆<4 µg/m³), (As <5 ng/m³), (Ni <5 ng/m³), (Benzo(a)Pyrene< 0.1 ng/m³)

5) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



ANALYSIS TEST REPORT

Report Decoding No	SEETL250002737	Report Date	11/06/2025
Name of Client	M/s. Vefar Pharmaceuticals Pvt. Ltd.		
Address of Client	Plot No K-37, D, MIDC, Tarapur, Boisar, Palghar- 401506, Maharashtra.		
Order / Reference	Purchase order No. PO/24-25/V/0821 Dated 11-Feb-2025		
Date Of sampling	05/06/2025	Sample Receipt Date	06/06/2025
Analysis Started on	06/06/2025	Analysis Completed On	11/06/2025
ULR No.	TC-12207250001940F		
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Sample Collected By	SEETL Representative		

Environmental Condition of Lab	Temperature (°C)	25.3	Humidity (%)	55
--------------------------------	------------------	------	--------------	----

DETAILS OF STACK

Attached To	Boiler
Shape	Round
Diameter (mm)	350
Height from Ground Level (Mtr)	24
Temperature (°C)	170.00
Velocity of Flue Gases (m/sec)	7.10
Volume of Flue Gases (m ³ /hr)	2459.67
Volume of Flue Gases (Nm ³ /hr)	1641.24
Type of Fuel	Coal

POLLUTIONAL PARAMETERS

Parameters	Result	Units	MPCB Limit	Method
Total Particulate Matter	35.04	mg/Nm ³	50	IS 11255 (Part 1):1985 RA. 2024
Sulphur dioxide (SO ₂)	6.26	Kg/Day	120	IS 11255 (Part 2):1985 RA. 2024

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
 2) The above results relate only to the item tested.
 3) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



Trupti Mayekar
Authorized Signatory
 Trupti Mayekar



SAVE WATER SAVE LIFE

Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
 ☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

Lab: Accredited by **NABL**, Valid up to 06-09-2025

TC-12207

ANALYSIS TEST REPORT

Report Decoding No	SEETL250002738	Report Date	11/06/2025
Name of Client	M/s. Vefar Pharmaceuticals Pvt. Ltd.		
Address of Client	Plot No K-37, D, MIDC, Tarapur, Boisar, Palghar- 401506, Maharashtra.		
Order / Reference	Purchase order No. PO/24-25/V/0821 Dated 11-Feb-2025		
Date Of sampling	05/06/2025	Sample Receipt Date	06/06/2025
Analysis Started on	06/06/2025	Analysis Completed On	11/06/2025
ULR No.	TC-122072500001941F		
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Sample Collected By	SEETL Representative		
Environmental Condition of Lab		Temperature (°C)	25.3
		Humidity (%)	55

DETAILS OF STACK

Attached To	DG 125KVA
Shape	Round
Diameter (mm)	150
Height from Ground Level (Mtr)	3
Temperature (°C)	160.00
Velocity of Flue Gases (m/sec)	6.25
Volume of Flue Gases (m³/hour)	397.85
Volume of Flue Gases (Nm³/hr)	271.60
Type of Fuel	HSD

POLLUTIONAL PARAMETERS

Parameters	Result	Units	MPCB Limit	Method
Total Particulate Matter	27.03	mg/Nm³	30	IS 11255 (Part 1):1985 RA. 2024
Sulphur dioxide (SO₂)	334.65	mg/Nm³	-	IS 11255 (Part 2):1985 RA. 2024

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
 2) The above results relate only to the item tested.
 3) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****





Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.

① : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

ANALYSIS TEST REPORT

Report Decoding No	SEETL250002739	Report Date	11/06/2025
Name of Client	M/s. Vefar Pharmaceuticals Pvt. Ltd.		
Address of Client	Plot No K-37, D, MIDC, Tarapur, Boisar, Palghar- 401506, Maharashtra.		
Order / Reference	Purchase order No. PO/24-25/V/0821 Dated 11-Feb-2025		
Date Of sampling	05/06/2025	Sample Receipt Date	06/06/2025
Analysis Started on	06/06/2025	Analysis Completed On	11/06/2025
ULR No.	-		
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Sample Collected By	SEETL Representative		

Environmental Condition of Lab	Temperature (°C)	25.3	Humidity (%)	55
--------------------------------	------------------	------	--------------	----

DETAILS OF STACK

Attached To	Scrubber SC-01 (Process vent)
Shape	Round
Diameter (mm)	200
Height from Ground Level (Mtr)	8
Temperature (°C)	36.00
Velocity of Flue Gases (m/sec)	6.24
Volume of Flue Gases (m³/hour)	705.91
Volume of Flue Gases (Nm³/hr)	675.29
Type of Fuel	-

POLLUTIONAL PARAMETERS


Parameters	Result	Units	MPCB Limit	Method
Acid Mist	9.00	mg/Nm³	35	Lab SOP No. SEETL/LD/SOP/AA-31

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

3) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



Authorized Signatory
Yogana Chandoskar

ANALYSIS TEST REPORT

Report Coding No.	SEETL250002740	Report Date	11/06/2025
Name of Client	M/s. Vefar Pharmaceuticals Pvt. Ltd.		
Address of Client	Plot No K-37, D, MIDC, Tarapur, Boisar, Palghar- 401506, Maharashtra.		
Order / Reference	Purchase order No. PO/24-25/V/0821 Dated 11-Feb-2025		
Date of Monitoring	05/06/2025	Time of Sampling	Day/Night
ULR No.	TC-122072500001942F		
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-31
Monitored By	SEETL Representative		

DAY TIME NOISE LEVEL MONITORING

Sampling Location (From 1 meter away)	Noise Levels in dB(A) Leq* Day Time	Noise Levels in dB (A) Leq* Night Time
--	--	---

AMBIENT NOISE LEVEL MONITORING

Near main gate	66.6	55.5
Near ETP area	70.4	64.2
Near production area	69.4	60.2
Near boiler house	72.4	67.4
DG set (Running condition)	71.4	68.0

Method:-IS:9989-1981 (RA 2023)

NOTE: 1) Limit During Day time < 75. (Day time shall mean from 6.00 am to 10.00 pm.)
 2) Limit During Night time < 70. (Night time shall mean from 10.00 pm to 6.00 am.)
 3) A "decibel" is a unit in which noise is measured.
 4)"A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
 5) Leq: It is the energy mean of the noise level over a specified period.
 6) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****





Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.

① : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

ANALYSIS TEST REPORT

Report No	SEETL250002735	Report Date	11/06/2025			
Name of Client	M/s. Vetfar Pharmaceuticals Pvt. Ltd.					
Address of Client	Plot No K-37, D, MIDC, Tarapur, Boisar, Palghar- 401506, Maharashtra.					
Order / Reference	Purchase order No. PO/24-25/V/0821 Dated 11-Feb-2025					
Date Of sampling	05/06/2025	Sample Receipt Date	06/06/2025			
Analysis Started on	06/06/2025	Analysis Completed On	11/06/2025			
ULR No.	-					
Sample Collected By	SEETL Representative					
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32			
Environmental Condition of Lab			Temperature (°C)	25.3		
			Humidity (%)	55		

WORKPLACE AIR STATION

Location of H.V.S.	Production Building 2nd Floor			
Lateral Distance	1.0 Meter from Production Building 2nd Floor			
Receptor Distance	1.5 Meters from Ground Level			
Duration of Monitoring	8 Hours			
Ambient Temperature (°C)	29	Humidity (%)	70	
Wind Speed (km/hr)	-	Wind Direction (deg ^o)	-	
Instruments Used	R.D.S.(APM- 460),G.P.S.(APM – 411)			

POLLUTIONAL PARAMETERS

Parameters	Result	Units	Limits#	Method
Total Particulate Matter (TPM)	0.015	mg/m ³	15.00	IS 5182 (Part 4): 1999 (RA 2024)
Sulphur dioxide (SO ₂)	<0.003	mg/m ³	13.00	IS 5182 (Part 2 Sec /1): 2023
Nitrogen dioxide (NO ₂)	<0.006	mg/m ³	9.00	IS 5182 (Part 6): 2006 RA: 2022

NOTE: 1) The above results relate only to the item tested & the condition prevailing at the time of sampling

2) PM₁₀-Particulate Matter of size < 10 μ m, PM_{2.5} - Particulate Matter of size < 2.5 μ m

3) # Permissible Exposure Limit as per OSHA.

4) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****







Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
 ☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

Lab. Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid 06.09.2025

SAVE WATER
SAVE LIFE

ANALYSIS TEST REPORT

Report No	SEETL250002736	Report Date	11/06/2025			
Name of Client	M/s. Vetfar Pharmaceuticals Pvt. Ltd.					
Address of Client	Plot No K-37, D, MIDC, Tarapur, Boisar, Palghar- 401506, Maharashtra.					
Order / Reference	Purchase order No. PO/24-25/V/0821 Dated 11-Feb-2025					
Date Of sampling	05/06/2025	Sample Receipt Date	06/06/2025			
Analysis Started on	06/06/2025	Analysis Completed On	11/06/2025			
ULR No.	-					
Sample Collected By	SEETL Representative					
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32			
Environmental Condition of Lab			Temperature (°C)	25.3		
			Humidity (%)	55		

WORKPLACE AIR STATION

Location of H.V.S.	Centrifuge Area/Drying Area			
Lateral Distance	1.0 Meter from Centrifuge Area/Drying Area			
Receptor Distance	1.5 Meters from Ground Level			
Duration of Monitoring	8 Hours			
Ambient Temperature (°C)	29	Humidity (%)	70	
Wind Speed (km/hr)	-	Wind Direction (deg°)	-	
Instruments Used	R.D.S.(APM- 460),G.P.S.(APM – 411)			

POLLUTATIONAL PARAMETERS

Parameters	Result	Units	Limits#	Method
Total Particulate Matter (TPM)	0.012	mg/m ³	15.00	IS 5182 (Part 4): 1999 (RA 2024)
Sulphur dioxide (SO ₂)	<0.003	mg/m ³	13.00	IS 5182 (Part 2 Sec /1): 2023
Nitrogen dioxide (NO ₂)	<0.006	mg/m ³	9.00	IS 5182 (Part 6): 2006 RA: 2022

NOTE: 1) The above results relate only to the item tested & the condition prevailing at the time of sampling

2) PM₁₀-Particulate Matter of size < 10 μm, PM_{2.5} - Particulate Matter of size < 2.5 μm

3) # Permissible Exposure Limit as per OSHA.

4) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****




Yolana Chandoskar

Annexure 6



Dt. 18-11-2024

M/s. Vetfar Pharmaceutical Pvt. Ltd.
Plot No. K-37, MIDC,
Tarapur Indl Area, Boisar(W),
Palghar, 401506
Phone No. - 9158888242
Email: esh@vetfarpharma.com

Mumbai Waste Management Ltd.
Plot No: P-32 & Part, MIDC Taloja, Tal: Panvel,
Dist.: Raigad, Maharashtra 410 208, India.
T: +91 8422877163/65/7710082601
T: +91 7304992789/90/91/92 & 93
Email: mbdmwml@resustainability.com
CIN: U90001TG2001PLC037829
www.mumbaiwastemanagement.com

Kind Attn.: **Mr. Dipak Choudhari**

Sub: Membership of CHW – TSDF at Taloja

Dear Sir,

We thank you for enrolment & welcome you as **MEMBER** of Mumbai Waste Management Ltd for utilizing our Common Hazardous Waste Treatment Storage Disposal facility, to dispose your Hazardous Waste safely & securely.

Your MWML Membership No. is **MWML- HzW – TAR- 5855**

Minimum Monthly Commitment Charges @ Rs. 1500/- (Goods & Service Tax extra as applicable) per month is to be paid by 5th of every month.

This membership is valid now but subject to termination, in the event Haz Waste generation details viz., Types of Waste, Generation Quantity, Waste Comprehensive Analysis and Monthly disposal plan, Legal Agreement, Commercial terms are not finalized.

The Membership deposit / Security deposit is adjustable against Waste Disposal Charges Only in event either party decides to terminate this Membership.

We will provide all assistance to enable starting of our Waste Collection & Disposal Operations in this period.

We assure you of our excellent services and seek your co-operation for good business relationship with you.

This Membership is valid for one year from date of issue of this letter. You have to get membership renewed by paying necessary MMCC.

Submission of Valid MPCB consent copy is essential condition for membership.

If Generator fails to submit valid consent copy, then membership will stand cancelled.

We once again thank you for your enrolment and in joining forces with us towards maintaining & sustaining our Environment.

Please do contact us for any further information.

Thanking you,

Yours truly,
for **MUMBAI WASTE MANAGEMENT LTD.**

Somnath Malgar (8/11/24)
Director

Annexure 7



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2025

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000078453

Submitted Date

24-05-2025

PART A

Company Information

Company Name

M/s. Vetfar Pharmaceuticals Pvt. Ltd.

Application UAN number

MPCB-CONSENT-0000164823

Address

Plot No. K-37, M.I.D.C., Tarapur indl area,,Boisar,Tarapur ,Palghar

Plot no

Plot No. K-37, M.I.D.C., Tarapur indl Boisar (W)

Taluka

Palghar

Village

M.I.D.C., TARAPUR

Capital Investment (In lakhs)

1386.92

Scale

S.S.I

City

Palghar

Pincode

401506

Person Name

Mr Deepak Chaudhari

Designation

Site Head

Telephone Number

9158888242

Fax Number

0

Email

choudhari@nglfinechem.com

Region

SRO-Tarapur I

Industry Category

Red

Industry Type

R58 Pharmaceuticals

Last Environmental statement submitted online

yes

Consent Number

Format1.0/AS(T)/UAN
No.0000164823/CR/2303002713

Consent Issue Date

2023-03-31

Consent Valid Upto

2027-04-30

Establishment Year

1999

Date of last environment statement submitted

Jun 25 2024 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

Glipizide

Consent Quantity

12

Actual Quantity

9.998

UOM

MT/A

Glipizide

12

8.750

MT/A

Glimepiride

6.0

3.410

MT/A

Losartan Potassium

12

1.256

MT/A

By-product Information

By Product Name

Consent Quantity

Actual Quantity

UOM

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
Cooling	7.00	6.50
Domestic	2.00	2.00
All others	2.00	2.00
Total	23.50	18.22

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
TRADE EFFLUENT	9.58	6.95	CMD
DOMESTIC EFFLUENT	1.5	1.35	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Glipizide, Gliclazide, Glimepiride, Losartan Potassium	0.06	7.72	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Dextrose anhydrous	0.04	21.850	MT/A
Activated Alloy Catalyst - (KALCAT-1961)	0.002	0.875	MT/A
Activated Carbon	0.02	1.001	MT/A
HYDROGEN	0.003	1.426	MT/A
NITROGEN	0.003	0.729	MT/A
Ethylamine (70%) solution	0.04	14.310	MT/A
Methanol	7.03	73.225	MT/A
Acetone	0.17	60.103	MT/A
DMA	0	4.240	MT/A
SODIUM BICARBONATE	0	5.427	MT/A
KOH	0	14.691	MT/A
SULPHURIC ACID	0.38	7.8	MT/A
DMF	0	22.260	MT/A
CHOLOROFORM	0.71	0.788	MT/A
HYDROCHLORIC ACID	0	3.561	MT/A
MONOMETHYL AMINE 40%	0	7.740	MT/A
DETA	0	1.3	MT/A
ACETONITRILE	0	8.840	MT/A
POTASSIUM CARBONATE ANHYDRUS	0	7.280	MT/A

BENZENE SULFONYL CHLORIDE	0	6.695	MT/A
FORMAMIDE	0	0.520	MT/A
EGDB	0	5.2	MT/A
FORMIC ACID	0	5.460	MT/A
FORMALDEHYDE 37-40%	0	7.8	MT/A
SODIUM HYDROXIDE	0	13.520	MT/A
MITROLEUM FOOD GRADE (F)	0	2.704	MT/A

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
Coal	4320	1070.96	MT/A
HSD	345600	720	Ltr/A

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour	Percentage of variation from prescribed standards with reasons	Standard	Reason
	Quantity	Concentration	%variation		
pH	0	6.59	NA	6.0-8.5	NA
COD	1.22	176	NA	250 mg/l	NA
BOD	0.166	24	NA	30 mg/l	NA
SS	0.069	10	NA	100 mg/l	NA
OIL & GREASE	0.006	1.0	NA	10mg/l	NA
TDS	3.81	549	NA	2100 mg/l	NA
CHLORIDES	0.072	10.42	NA	1000 mg/l	NA
Sulphate	0.043	6.23	NA	600 mg/l	NA
CHROMIUM	00	0.03	NA	0.1 mg/l	NA
ZINC	00	0.05	NA	5 mg/l	NA

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons	Standard	Reason
	Quantity	Concentration	%variation		
Boiler (TPM)	0	37.38	NA	50Mg/Nm3	0
Boiler (S02)	8.01	205.52	NA	120 Kg/day	0
DG Set (TPM)	0	24.08	NA	50Mg/Nm3	0
DG Set (S02)	2.04	323.21	NA	19.2 Kg/day	0
Process vent Scrubber (Acid Mist)	0	12	NA	35Mg/Nm3	0

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
20.3 Distillation residues	0	1.620	MT/A
28.3 Spent carbon	0	1.490	MT/A
28.6 Spent organic solvents	8.0	56.0	MT/A
5.1 Used or spent oil	0	0.010	MT/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
35.3 Chemical sludge from waste water treatment	0	1.580	MT/A
37.3 Concentration or evaporation residues	0	13.780	MT/A

Part-E**SOLID WASTES****1) From Process**

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
NA	0	0	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
NA	0	0	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	MT/A

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
20.3 Distillation residues	1.620	MT/A	M/s. Go green Eco tech Solution Pvt Ltd ,Tarapur.
28.3 Spent carbon	1.490	MT/A	M/s. Go green Eco tech Solution Pvt Ltd ,Tarapur & Mumbai waste management ltd taloja.
28.6 Spent organic solvents	56.0	MT/A	M/s. Shirpad Chemicals Mahad.
35.3 Chemical sludge from waste water treatment	1.580	MT/A	M/s. Go green Eco tech Solution Pvt Ltd ,Tarapur.
37.3 Concentration or evaporation residues	13.780	MT/A	M/s. Go green Eco tech Solution Pvt Ltd ,Tarapur & Mumbai waste management ltd taloja.
5.1 Used or spent oil	0.010	MT/A	M/s. Shiva Petrosynth specialities Ltd

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Spent carbon	1.490	MT/A	M/s. Go green Eco tech Solution Pvt Ltd ,Tarapur & Mumbai waste management ltd taloja.

Chemical sludge from waste water treatment	1.580	MT/A M/s. Go green Eco tech Solution Pvt Ltd ,Tarapur.
Concentration or evaporation residues	13.780	MT/A M/s. Go green Eco tech Solution Pvt Ltd ,Tarapur & Mumbai waste management ltd taloja.
Distillation residues	1.620	MT/A M/s. Go green Eco tech Solution Pvt Ltd ,Tarapur.

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
E.T.P. Operation cost ,Cost of Consumables ,Cost of Analysis of ,Effluent Sample ,Electrical Energy, Environment audit Statement ,Water Supply ,Hazardous waste disposal cost, House Keeping	0	0	0	0	50	0

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
At present, the existing environmental protection system are considered to be adequate. For treatment of waste water company has provided the Effluent Treatment Plant	0	5

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
0	0	0

Part-I

Any other particulars for improving the quality of the environment.

Particulars

Company has planted few number of trees around the factory, within company's own land premises. The hazardous waste generated is being sent to CHWTS Facility for disposal. Noise level survey & house keeping are done regularly. The Soak Pit & Septic Tank is provided for the treatment of Domestic effluent. Environment and safety aspects is of prime importance and is incorporated at the Design and energy aspects of operations. Green drive is the major contribution to create

Name & Designation

Mr.Deepak Chaudhari

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000078453

Submitted On:

24-05-2025

Annexure 8

FORM NO. 7

(See Rule 18 (7) and schedules II, III, IV, VI, VIII, X, XI, XIII, XIV, XV, XVII, XVIII and XX Rule 114) [Prescribed under Rule 18(7) No. 2]

DR. SUSHIL V. POTDAR

From:	22.10.2024
To:	21.10.2025

HEALTH REGISTER

[In respect of persons employed in occupations declared to be dangerous operations under section 87]

Note: (I) Column 8- Detailed summary of reason for transfer or discharge should be stated.
(II) Column 11- Should be expressed as Fit/ Unfit/ suspended.

Sr. No.	TEST NO.	Employee No.	Name Of Employee	AGE (Last Birth day)	SEX	Date of employmen t of present work	Date of leaving or transfer to other	Reason for leaving transfer discharge	Nature Of job Or occupation	Raw material or by product handled	Date Of examination	Result Of medical examination	If suspended state period with reason	Rectified fit to resume duty On with sign of certifying surgeon	If certificate of unfitness or suspension issued To	Signature with date of certifying surgeon
														(ii) Column 11- Should be expressed as Fit/ Unfit/ suspended.	Address : Plot No. K-37, MIDC Tarapur, Boisar, Tal & Dist. Palghar, MH-401506.	
1	6	-	Shrikant Khernar	34	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
2	14	-	Shivarao Tamade	30	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
3	15	-	Devanand	28	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
4	16	-	Gaurav Jha	21	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
5	17	-	Suresh Sukla	38	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
6	18	-	Hardik Arekar	25	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
7	19	-	Gaurav Sarnaik	31	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
8	36	-	Durga Prasad	24	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
9	37	-	Irfan Shah	37	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
10	39	-	Birendra Kumar	26	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
11	42	-	Namdev Shirshad	35	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
12	43	-	Shubham Rawat	26	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
13	44	-	Dheeraj Gupta	22	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
14	46	-	Pawan Bind	30	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
15	47	-	Jitendra Yadav	48	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
16	53	-	Jageshwar Kumar	37	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
17	54	-	Rahul Saroj	22	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
18	72	-	Nisar	36	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
19	73	-	Harendra Shah	30	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
20	76	-	Ramkhadian Yadav	47	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
21	83	-	Nitin Mane	38	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
22	84	-	Anuj Saroj	19	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
23	85	-	Ranjeet Harpal	36	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
24	90	-	Shatrudhan Kumar	27	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
25	96	-	Pannalal Yadav	42	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
26	99	-	Yasin Ali	26	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
27	138	-	Sunil Mer	39	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
28	151	-	Ravi Yadav	39	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
29	152	-	Ankush Tare	39	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			

माध्यिकता प्रमाणकाशाल्यचिकित्सक रु. ACS35-SP/2013
पानी ००/००/२०१३ यात्रा १०/०७/२०१३ पर्यंत.

FORM NO. 7

(See Rule 18 (7) and schedules II, III, IV, VI, VIII, X, XI, XIII, XIV, XV, XVII, XVIII and XX Rule 114) [Prescribed under Rule 18(7)]No . 7

DR. SUSHIL V. POTDAR

HEALTH REGISTER

[In respect of persons employed in occupations declared to be dangerous operations under section 87]

Note: (I) Column 8- Detailed sumery of reason for transfer or discharge should be stated.
(II) Column 11- Should be expressed as Fit/ Unfit/ suspended.

COMPANY NAME - Vetfar Pharmaceuticals Pvt. Ltd (Dhiraj Cont.)
Address : Plot No. K-37, MIDC Tarapur, Boisar, Tal & Dist. Palghar, MH-401506.

From:	22.10.2024
To:	21.10.2025

Sr. No.	TEST NO.	Employee No.	Name Of Employee	AGE (Last Birth day)	SEX	Date of employmen t of present work	Date of leaving or transfer to other	Reason for leaving transfer discharge	Nature Of job Or occupation	Raw material or by product handled	Date Of examination	Result Of medical examination	If suspended state period with reason	Rectified fit to resume duty On with sign of certifying surgeon	If certificate of unfitness or suspension issued To	Signature with date of certifying surgeon
30	153	-	Suresh Saroj	35	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
31	154	-	Darshan Mer	31	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
32	155	-	Ajay Tare	43	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			

S. V. Potdar

कारखाने अधिनियम 1948 च्या कलम 10(2) प
पालघर निलावाकरिता दिनांक-११/०७/२०२३ पायऱ्य १०/०७/
प्राधिकृत प्रमाणकशल्यचिकित्सक द्र. ACS35-Sr.

FORM NO. 7

(See Rule 18 (7) and schedules II, III, IV, VI, VIII, X, XI, XIII, XIV, XV, XVII, XVIII and XX Rule 114) [Prescribed under Rule 18(7)] No. 7

DR. SUSHIL V. POTDAR

HEALTH REGISTER

From:	22.10.2024
To:	21.10.2025

[In respect of persons employed in occupations declared to be dangerous operations under section 87]

Note: (I) Column 8- Detailed summary of reason for transfer or discharge should be stated.
(II) Column 11- Should be expressed as Fit/ Unfit/ suspended.

COMPANY NAME - Vetfar Pharmaceuticals Pvt. Ltd (Contractors)
Address : Plot No. K-37, MIDC Tarapur, Boisar, Tal & Dist. Palghar, MH-401506.

Sr. No.	TEST NO.	Employee No.	Name Of Employee	AGE (Last Birth day)	SEX	Date of employmen t of present work	Date of leaving or transfer to other	Reason for leaving transfer discharge	Nature Of job Or occupation	Raw material or by product handled	Date Of examination	Result Of medical examination	If suspended state period with reason	Rectified fit to resume duty On with sign of certifying surgeon	If certificate of unfitness or suspension issued To	Signature with date of certifying surgeon
---------	----------	--------------	------------------	----------------------	-----	-------------------------------------	--------------------------------------	---------------------------------------	-----------------------------	------------------------------------	---------------------	-------------------------------	---------------------------------------	---	---	---

Rahul Contract

1	9	-	Devilal Sahani	28	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
2	11	-	Awadh Kishor	32	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
3	20	-	Vilas Gawade	49	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
4	113	-	Mitesh Panchal	45	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		


Samarth Enterprises

5	7	-	Satish Metangle	38	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
6	26	-	Uttam Kumar	27	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
7	65	-	Arun Singh	41	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
8	136	-	Santosh Tare	48	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
9	137	-	Rajendra Mer	28	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
10	158	-	Arvind Mandal	34	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
11	163	-	Jitendra Tandel	42	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
12	164	-	Akash Rupasri	28	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		

Security

13	40	-	Shivam Singh	23	Male	NA	NA	NA	Security Guard	NA	22.10.2024	Fit For Job	NA		
14	48	-	Rupesh Gajbhiye	48	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
15	49	-	Santosh Kumar Ray	37	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
16	68	-	Sumanlal Shrivastav	43	Male	NA	NA	NA	Security Guard	NA	22.10.2024	Fit For Job	NA		
17	75	-	Aditya Tiwari	23	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
18	91	-	Akhilesh Dubey	56	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		

19	45	-	Dipansu Pal Chandradeep	28	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA		
20	52	-	Gajanan Bhangale	51	Male	NA	NA	NA	-	NA	22.10.2024	Fit For Job	NA		
21	94	-	Vimlesh Kashap	19	Male	NA	NA	NA	-	NA	22.10.2024	Fit For Job	NA		


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024


 डॉ. सुशील व. पोटदार
 अधिकारी नं. 1940 या कार्यालय
 2024-25 का लिखित स्वाक्षर
 दिनांक: 21.10.2024

FORM NO. 7

(See Rule 18 (7) and schedules II, III, IV, VI, VIII, X, XI, XIII, XIV, XV, XVII, XVIII and XX Rule 114) [Prescribed under Rule 18(7)] No. 7

DR. SUSHIL V. POTDAR

HEALTH REGISTER

[In respect of persons employed in occupations declared to be dangerous operations under section 87]

Note: (I) Column 8- Detailed sumery of reason for transfer or discharge should be stated.
(II) Column 11- Should be expressed as Fit/ Unfit/ suspended.

COMPANY NAME - Vetfar Pharmaceuticals Pvt. Ltd (Contractors)
Address : Plot No. K-37, MIDC Tarapur, BOLSAR, Tal & Dist. Palghar, MH-401506.

From:	22.10.2024
To:	21.10.2025

Sr. No.	TEST NO.	Employee No.	Name Of Employee	AGE (Last Birth day)	SEX	Date of employmen t of present work	Date of leaving or transfer to other	Reason for leaving transfer discharge	Nature Of Job Or occupation	Raw material or by product handled	Date Of examination	Result Of medical examination	If suspended state period with reason	Rectified fit to resume duty On with sign of certifying surgeon	If certificate of unfitness or suspension issued To	Signature with date of certifying surgeon
22	95	-	Manish Verma	23	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
23	116	-	Mr. Vimal Saroj	34	Male	NA	NA	NA	-	NA	22.10.2024	Fit For Job	NA			
24	139	-	Vishu Prajapati	29	Male	NA	NA	NA	-	NA	22.10.2024	Fit For Job	NA			
25	145	-	Maneesh Pillai	28	Male	NA	NA	NA	-	NA	22.10.2024	Fit For Job	NA			
26	147	-	Chandradeep Manje	28	Male	NA	NA	NA	Helper	NA	22.10.2024	Fit For Job	NA			
27	190	-	Azam Saikh	22	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			
28	191	-	Dinesh Kushwaha	21	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			
29	199	-	Irfan Tamboli	37	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			
30	200	-	Nagesh Kumar	37	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			
31	209	-	Akash Kumar	20	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			
32	210	-	Manjeet Kumar	19	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			
33	215	-	Arman	20	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			
34	216	-	Jogendra Prasad	22	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			
35	217	-	Sanoop	30	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			
36	218	-	Nimba More	50	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			
37	219	-	Rambahadur	26	Male	NA	NA	NA	Helper	NA	28.10.2024	Fit For Job	NA			

Dr. Sushil V. Potdar

कारखाने अधिनियम 1948 च्या कलम 10(2) प्रमाणे
पालघर निवासिता दिनांक - ११/०७/२०२३ पासून १०/०७/२०२५ पर्यंत.
प्राधिकृत प्रमाणकशल्वचिकित्सक क्र. ACS35-SP/2018

Annexure 9

CERTIFICATE OF SALE
 (For Immovable Property)
 (RULE - 9 (6) of the Security Interest (Enforcement) Rules, 2002)

Whereas,

The undersigned Shri. Vikash Kumar S/o Shri Sushil Jha aged 47 years being the Authorised Officer of the State Bank of India under Securitization and Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002 and in exercise of the powers conferred under section 13 read with Rule 9 of the Security Interest (Enforcement) Rules, 2002 has in consideration of **Rs. 5,10,30,000/- (Rupees Five crore ten lakh thirty thousand only)** sold on behalf of the State Bank of India (Secured Creditor) in favour of M/s Vetfar Pharmaceuticals Private Limited, 401, Gopal Vishu, 31 Mahant Road, Vile Parle East, Mumbai-400 057 the immovable property shown in the schedule below secured in favour of State Bank of India by **M/s Anamayee Pharmachem Pvt Ltd, Plot No. K-37, Tarapur Industrial Area, Village-Salvad, Tehsil- Palghar, Distt- Palghar, Maharashtra, 401 506** as security towards financial facilities in the nature of Fund based and Non Fund based by State Bank of India. The undersigned acknowledges the receipt of **Rs. 5,10,30,000/- (Rupees Five crore ten lakh thirty thousand only)** being the sale price in full as the highest bid in the auction and handed over the delivery and possession of the scheduled property. The sale of the scheduled property was made free from all encumbrances known to the secured creditor listed below on deposit of the money demanded by the undersigned.

The details of the payments received by the Bank are as given below-

Date	Amount
26.11.2021	81,00,000/-
29.11.2021	50,54,400/-
06.12.2021	81,00,000/-
29.12.2021	2,97,75,600/-
Total amount received	5,10,30,000/-

M/s Anamayee Pharmachem Pvt Ltd.- Certificate of Sale

bank.sbi

+91 22 2281 1584

+91 22 2281 1403

+91 22 2281 1401

Branch Code: 15859

sbi.15859@sbi.co.in

तनावग्रस्त मालमत्ता व्यवस्थापन शाखा-II, मुंबई

रहेजा चैम्बर्स, तल मजला,

विंग-बी, फ्री प्रेस जर्नल मार्ग,

नरिमन पॉइंट,

मुंबई - 400 021, भारत

तनावग्रस्त आरित प्रवंधन शाखा-II, मुंबई

रहेजा चैम्बर्स, तल मंजिल

विंग-बी, फ्री प्रेस जर्नल मार्ग,

नरिमन पॉइंट,

मुंबई - 400 021, भारत

Stressed Assets Management Branch-II, Mumbai

Raheja Chambers, Ground Floor,

Wing - B, Free Press Journal Marg,

Nariman Point,

Mumbai - 400 021, India



SCHEDULE OF THE IMMOVABLE PROPERTY

All that piece & parcel of the property consisting of:

Industrial land & Building situated at on Plot No.K-37 of Village-Salwad, Tarapur MIDC,Industrial Area,Kalode Naka,Navapur Road,Boiser (West),Tal & Palghar, Maharashtra,PIN-401 506.(Land Area 2935 sq. meters) (Build up area-3473 sq meters.)

Bounded:

On the North by Plot No. K-38
On the South by Road
On the West by Road
On the East by Plot No. W-58(C),W-57(C) and Amenity Area

कृते भारतीय स्टेट बैंक
For STATE BANK OF INDIA
तनावग्रस्त आसित प्रबंधन शाखा-II, सुंवर्द.
Stressed Assets Management Branch-II, Mumbai


विकाश कुमार
सासा प्राधिकृत एवं प्राधिकृत अधिकारी
Asst. Gen. Manager & Authorised Officer
Authorised Officer & Assistant General Manager
State Bank of India, SAMB-II, Raheja Chambers,
Ground Floor, Wing-B, Free Press Journal Marg,
Nariman Point, Mumbai – 400 021

Place: **Mumbai**
Date: 29.12.2021

M/s Anamayee Pharmachem Pvt Ltd.- Certificate of Sale



CERTIFICATE OF SALE

(For movable Property)

Whereas,

The undersigned Mr Vikash Kumar s/o Shri Sushil Jha age 47 years being the Authorized Officer of the State Bank of India under Securitisation and Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002 (no.3 of 2002) and in exercise of the powers conferred under section sub-section 12 of section 13 read with Rule 7 of the Security Interest (Enforcement) Rules, 2002 has in consideration of the payment of Rs.1,19,70,000/- (Rupees One crore nineteen lakh seventy thousand Only) sold on behalf of the State Bank of India & Canara Bank in favour of M/s Vefar Pharmaceuticals Private Limited, 401, Gopal Vishu, 31 Mahant Road, Vile Parle East, Mumbai - 400 057 the following movable property shown in the schedule below secured in favour of State Bank of India and Canara Bank by **M/s Anamayee Pharmachem Pvt Ltd**, towards the financial facility to Fund based (Term Loans) offered by State Bank of India & Canara Bank. The undersigned acknowledges the receipt of the sale price in full and will handed over the delivery and possession of the items.

The details of the payments received by the Bank are as given below-

Date	Amount
26.11.2021	19,00,000/-
29.11.2021	11,85,600/-
06.12.2021	19,00,000/-
29.12.2021	69,84,400/-
Total amount received	1,19,70,000/-
GST 18%	Rs. 21,54,600/-
Total	Rs. 1,41,24,600



1

Description of the Movable property

Plants & Machineries situated on Plot No. K-37 of Village - Salwad , Tarapur Industrial Area MIDC Industrial Area, Kalode Naka, Navapur Road, Boisar (West), Tal& Distt - Palghar, Maharashtra, PIN 401 506.

कृते भारतीय रस्टेट बैंक
For STATE BANK OF INDIA
तनावग्रस्त आस्ति प्रबंधन शाखा-II, मुंबई.
Stressed Assets Management Branch-II, Mumbai

Vikash Kumar
सहा.महाप्रबंधक एवं प्राधिकृत अधिकारी
Asst. Gen. Manager & Authorised Officer

Vikash Kumar
Authorised Officer & Assistant General Manager

State Bank of India
SBI-SAMB-II, Raheja Chambers,
Ground Floor, Wing-B,
Free Press Journal Marg,
Nariman Point, Mumbai – 400 021

Place: **Mumbai**

Date: 29.12.2021

